



Main differences of our Classic Pergola

Content List









12 type designed pergola models

3 system frame types

High quality parts

Special solutions against water leakage and evacuation.

Content List









Single & multi lighting system

Easy installation method

Documentatiin Library

Customer Support




Other companies offer you little variety of products.

Explain

If you want to buy a guillotine glass system from other companies, they will offer you fewer types of glass configuration.


Multiple choice


From our companies catalog, you can choose one of the Single & Double glass types.




Advantage?

Depending on the location, you can choose a weatherproof glass design.











Motorized System

The main movement trigger of our system is a high-quality SOMFY motor.














Balance


With the special weight solution that keeps the movement system in balance, your window system can be opened and closed safely.












Everyday Cleaning?!


Explain


In standard guillotine glass systems, the gap between the profiles is a disadvantage for indoor spaces.


Dust Blocks

Dust blocking wicks block all incoming dust or small parts.











Advantage?

Not affected by high wind.



Global Certificated Product

Our Verlass Guillotione Glass systems already passed IFT Rosenheim tests. You can check our results from the IFT official website, documents.



Advantage?

A product that can be used in every country with a globally recognized certificate.

ift-Nachweis



Classification Report

Number	20-000011-PR01 (NW-A01-0203-en-02)	Basis *) EN 14351-1:2006+A2:2016-09 ') and corresponding national versions (eg. DN EN) Test report: 20-000011-PR01 PB- A01-0203-en-02 Replaces ift-Nachweis: 20-000011-PR01 NW-A01-0203-en-01 dated 13.02.2020.
Owner	Sunset Tente Dekorasyon Sanayi ve Ticaret A.S. Çerkesli Köyü Imes OSB 9.CAD No:20 41455 Dilovasi / KOCAELI Turkey	
Product	Vertical sliding window	Representation
Designation	System: VERLASS CORMORANO Shipping name: VERLASS CORMORANO Guillotine Glass System	
Details	Manufacturer Sunset Tente Dekorasyon Sanayi ve Ticaret A.S Dilovasi / KOCAELI; Material Aluminium; Type of opening Sliding; Opening direction Outwards; Overall dimensions (W x H) 2995 mm x 2544 mm	Vertex Clair System Curis minimum
Special features	Test sequence. The vapour pressure equalisation of the glazing rebate has to be ensured. Material compatibility must be taken into account. Material durability must be taken into account. The strength, durability and material compatibility of the adhesive system was not part of the test and is tested separately. The country-specific limitation of deflection at wind load has to be considered.	Instructions for use The Evidence ("Nachweis") can be used for preparing the Declaration of Performance in accordance with the Construction Products Regulation 305/2011/EU. The results obtained apply to the direct field of application determined
Result		in Annex E of EN 14351-1.

Air permeability according to EN 12207:2016-12



Class: 3

Resistance to wind load according to EN 12210:2016-03



Class: A1

Watertightness according to EN 12208:1999-11



Class: 8A

ift Rosenheim 18.02.2020

Deputy Head of Testing Department Building Component Testing

Dimitrios Moustakidis, MSc, Dipl.-Ing. Operating Testing Officer Building Component Testing

Validity

There is no time limit. When using this document the up-

Notes on publication The ift-Guidance Sheet "Condi-

to be observed.

to-dateness of above basis and the conformity of the product have

tions and Guidance for the Use of ift Test Documents" applies.


www.ift-rosenheim.de/ift-gepruet

Contact Phone: +49 8031 281-0 Fax: +49 8031 261-290 www.ift-rosenheim.de






Did you know that **Verlass** can only be installed in 5 steps.



For 4x2 m example product, total installation time approxmately 2,5 hours.



There are always will be broken promises.

Ask for the documents...



Welcome to the SUNSET library

For every SUNSET PERGOLA product, we can present, presentation catalogs, qualification certificates (for each part & general system), technical datasheet, static reports, and installation guides. Day by day we improve our documental database. Sunset is one of the biggest companies, their professional team behind our documental development.

Catalogs



Certficates




Technical Datasheet



Static Reports




Installation Guides




We offer digital versions of our documents.

We offer print versions of our documents.





Sometimes after purchase you can't find anyone...






For every SUNSET PERGOLA product insttallation process we are giving full of our support with technicians videocall & installation documents.

We Are Happy Family




You can always visit our high quality production area.






Expert Team of Architects and Engineers

Production area with modern equipment and expert production team.



Our Factory Main Departments



Product Showroom



Certificated Paint Laboratory



