


Glass


SYSTEMS



Sliding Glass



Fixed Glass




Door

SLIDING GLASS SYSTEM




BORA Series


Bora - 8



Bora - 10



Bora - 18



Special
Locking
Solutions



Perfect
Water
Draining



Four
Layers
of Insulation



Three
Type Glass
Systems

Double glazed sliding glass Bora systems raising standards. Bora sliding glass systems comfort, carefully designed by examining it in terms of insulation and aesthetics. Bora has the options to be used with 8 mm, 10 mm single glass or 18 mm insulating glass. It has a worldwide proven Roto Marka lock system with 1.5 m panels. Roto Marka carrier wheels are distinguished from other products with its comfortable and balanced movement.

Contacts:

+90 444 6 435

+90 553 3368004

More Information:

www.sunsetpergola.com.tr

www.sunsetpergola.eu

info@sunsetpergola.com.tr



ADDITIONAL

SPECIFICATIONS

1



Carrier System

Bora has a suspension wheel with 120 kg panel carrying capacity, Rotomarka stainless bearing, capable of keeping up with the rail it follows. In addition, height adjustment can be made easily. All wings open and close comfortably with minimal friction and sound movement.

2



Four Layers of Insulation

Depending on the characteristics of the insulating glasses used in Bora's Double Glass system, up to 4.4 times more insulation can be provided compared to Single glass. Thus, it offers a cooler area in the summer and warmer in the winter.


3



Locking System Options

In the system, two types of standard lever options are offered as espagnolette lock and hook mortise lock.


4



Three Types Glass Options

Bora offers 3 different glass types, 8 mm, 10 mm and 4 + 10 + 4 mm. Glass selection should be made according to the desired insulation level and the place where the system will be applied.


5



Stainless Parts

As in all products of our company, all bearing and accessory sets in the Bora system are under the guarantee of anti-corrosion.


6



Special Water Drainage System

A water drainage channel is opened with special blades on the rail profile. Water leaking into the system is thrown out with the help of drain holes.

7



Convenient Opening-Closing

The system allows a panel structure up to 1.50 m wide that prevents panoramic view. These wide panels can move easily with the developed wheel assembly.



Contacts:

+90 444 6 435

+90 553 3368004

More Information:


www.sunsetpergola.com.tr

www.sunsetpergola.eu

info@sunsetpergola.com.tr


C-60

FIXED




C-60 Fixed Series


C-60 Fixed - 8 mm



C-60 Fixed - 10 mm



C-60 Fixed - 20 mm



C-60 Fixed joinery is offered as an uninsulated series produced in our company. The difference from the Sunset fixed window is that the system is thicker. C-60 Fixed joinery can be produced as 8 mm, 10 mm and 20 mm. The required insulation is provided by using Internal and External Glass Wicks. In addition, C-60 fixed window provides thermal insulation up to four times depending on the type of Bora used. Our company offers C-60 fixed window systems with long-lasting and durable view to your use for many years.

Contacts:

+90 444 6 435

+90 553 3368004

More Information:

www.sunsetpergola.com.tr


www.sunsetpergola.eu

info@sunsetpergola.com.tr
support@sunsetpergola.com.tr




SUNSET

FIXED




SUNSET Fixed Series


SUNSET Fixed - 8



SUNSET Fixed - 10



SUNSET Fixed - 18



Sunset fixed window is a system designed and developed by our company to be integrated into the exposed triangle part of the Pergola. Sunset fixed window can be produced in thicknesses of 8 mm, 10 mm, and 18 mm. It is a system that you can easily install by providing the necessary insulation with wicks and gaskets. With its slim and stylish design, your Pergolas will now be more flamboyant.

Contacts:

+90 444 6 435

+90 553 3368004

More Information:

www.sunsetpergola.com.tr

www.sunsetpergola.eu

info@sunsetpergola.com.tr

support@sunsetpergola.com.tr




C-60 SINGLE DOOR


C-60 Door systems produced within Kraft glass are produced in 8 mm, 10 mm and 20 mm.. C-60 is produced in series without insulation and the necessary insulation is provided with wicks and gaskets. Santos brand lock system is used, which has proven itself in Europe. It stands out with its stylish and flashy accessories. It is a long-lasting product because it is made of a material with high resistance to external factors. It can be produced in different sizes in accordance with the characteristics of the space.

SINGLE DOOR Series


Single Door - 8 mm



Single Door - 10 mm



Single Door - 20 mm



Contacts:

+90 444 6 435

+90 553 3368004

More Information:

www.sunsetpergola.com.tr

www.sunsetpergola.eu

info@sunsetpergola.com.tr




C-60 DOUBLE DOOR


C-60 Door systems produced within Kraft glass are produced in 8 mm, 10 mm and 20 mm.. C-60 is produced in series without insulation and the necessary insulation is provided with wicks and gaskets. Santos brand lock system is used, which has proven itself in Europe. It stands out with its stylish and flashy accessories. It is a long-lasting product because it is made of a material with high resistance to external factors. It can be produced in different sizes in accordance with the characteristics of the space.

DOUBLE DOOR Series


Double Door - 8 mm



Double Door - 10 mm



Double Door - 20 mm



Contacts:

+90 444 6 435

+90 553 3368004

More Information:

www.sunsetpergola.com.tr

www.sunsetpergola.eu

info@sunsetpergola.com.tr





info@sunsetpergola.com.tr
www.sunsetpergola.eu
www.sunsetpergola.com.tr